

Handles and DoorPulls

Product overview



Reynaers
Aluminium

Windows.
Doors.
Curtain Walls.

Together for better

www.reynaers.com




Helping you decide

The vast range of our products can be a bit overwhelming when decisions have to be made. This brochure gives a clear overview of the design families, applications, individual products and their features. Lockability, inside or outside use, and specific safety classifications can all be found in the tables on the right pages.

Your last decision is the colour and/or finish:

Powdercoating is available in 400+ combinations of RAL colours in 4 variations of finishes or textures: gloss, matt, satin, coatex (textured). Textured paint has the benefit of being less sensitive to scratches.



We also offer 9 **anodised** colours, ranging from the lightest natural colour, over several shades of champagne, gold and bronze, all the way to black.



In both handles and door pulls we also offer a range of **stainless steel** finishes. This pure material has proven to be more hygienic in everyday use.



For projects, we also offer the possibility to add an **anti-microbial** coating to our handles. This can be combined with all available finishes, and does not affect its appearance.

For the surface treatment of the our handles, we collaborate with selected painting companies that strictly adhere to our standards. Some even comply with regulations like Qualicoat and Qualanod.



Contour



Modern safety

Contour is our new range of robust stainless steel handles in a fresh and modern design to meet even the stringest durability and safety demands. Contour is compatible with most systems and opening types such as SlimLine 38, MasterLine 8 and 10, ConceptPatio 130 and ConceptPatio 155 and MasterPatio.

Material


Contour handles are made of stainless steel AISI 304 which is very durable and highly resistant to corrosion. The robust stainless steel in this handle range is not only protection from burglar attacks, the clean and pure material is easy to maintain, resistant to cleaning products, and therefore often the material of choice in demanding environments like hospitals. The fact that stainless steel is recyclable makes Contour handles a sustainable choice!

Design

The Contour range meets all requirements for a modern or contemporary home. Their timeless design and high quality add value to the property and give a feel of luxury, without compromising on functionality.

Safety

Contour handles contribute to your safety. Most of the handles have an SKG** or even SKG*** classification and are applicable on Reynaers Certified RC2 systems, which means they are highly resistant against burglar attacks.



Colours

AVAILABLE COLOURS



Contour handles are available in stainless steel only.

A. Standard Handle



AA. Standard Handle with Cylinder



Available in standard and
specific for tilt before turn.

Features



		Without cilinder	With cilinder	Full protection	DIN left	DIN right	Inside	Outside	Anodised	Powdercoated	Stainless steel	BIOV	RC2	RC3	SKG2*	SKG3*
A	061.8961.-	√			√	√	√				√					
AA	061.8962.-		√		√	√	√				√				√	
AA	061.8963.-		√			√	√				√					
AA	061.8964.-		√		√		√				√					

A. Standard Handle



AA. Standard Handle with Cilinder



C. Fixed Knob



CC. Fixed Knob with Cylinder



F. Security Handle



FF. Security Handle with Cylinder



HH. Security Fixed Knob with Cylinder



Accessories



E. CYLINDER COVER

Separate cylinder cover available for Contour door and sliding elements handles.

Features

		Without cilinder 	With cilinder 	Full protection 	DIN left 	DIN right 	Inside 	Outside 	Anodised 	Powdercoated 	Stainless steel 	BIOV 	RC2 	RC3 	SKG2* 	SKG3* 
A	061.8940.-	√			√	√	√				√					
A	061.8922.-	√			√	√		√			√					
AA	061.8942.-		√		√	√	√				√					
AA	061.8924.-		√		√	√		√			√					
A	061.8929.-	√			√	√	√				√					
A	061.8930.-	√			√	√		√			√					
C	061.8925.-	√				√	√	√			√					
C	061.8926.-	√			√		√	√			√					
CC	061.8927.-		√			√		√			√					
CC	061.8928.-		√		√	√		√			√					
F	061.8931.-	√			√	√	√				√		√		√	√
F	061.8932.-	√			√	√		√			√		√		√	√
FF	061.8933.-		√		√	√	√				√		√		√	√
FF	061.8934.-		√	√	√	√		√			√		√		√	√
FF	061.8935.-		√		√	√		√			√		√		√	√
HH	061.8936.-		√	√		√		√			√		√		√	√
HH	061.8937.-		√	√	√			√			√		√		√	√
HH	061.8959.-		√			√		√			√		√		√	√
HH	061.8960.-		√		√			√			√		√		√	√
E	061.8938.-		√		√	√	√	√			√					

A. Standard Handle



AA. Standard Handle with Cilinder



Accessories

F. CYLINDER COVER



Separate cylinder cover available for Contour door and sliding elements handles. Combined with short faceplate.

G. Security Handle



GG. Security Handle with Cylinder



I. Security Fixed Handle



II. Security Fixed Handle with Cylinder



Features

		Without cilinder 	With cilinder 	Full protection 	DIN left 	DIN right 	Inside 	Outside 	Anodised 	Powdercoated 	Stainless steel 	BIOV 	RC2 	RC3 	SKG2* 	SKG3* 
A	061.8940.-	√			√	√	√				√					
AA	061.8942.-		√		√	√	√				√					
A	061.8941.-	√			√	√		√			√					
AA	061.8943.-		√		√	√		√			√					
A	060.8929.-	√			√	√	√				√					
A	060.8930.-	√			√	√		√			√					
G	061.8944.-	√			√	√	√				√		√		√	√
G	061.8945.-	√			√	√		√			√		√		√	√
GG	061.8946.-		√		√	√	√				√		√		√	√
GG	061.8947.-		√	√	√	√		√			√		√		√	√
GG	061.8948.-		√		√	√		√			√		√		√	√
F	061.8938.-		√		√	√	√	√			√					
I	061.8949.-	√				√	√				√		√		√	√
I	061.8950.-	√			√		√				√		√		√	√
I	061.8951.-	√				√		√			√		√		√	√
I	061.8952.-	√			√			√			√		√		√	√
II	061.8953.-		√			√	√				√		√		√	√
II	061.8954.-		√		√			√			√		√		√	√
II	061.8955.-		√			√		√			√		√		√	√
II	061.8956.-		√		√			√			√		√		√	√
II	061.8957.-		√	√		√		√			√		√		√	√
II	061.8958.-		√	√	√			√			√		√		√	√

C. Security Handle



CC. Security Handle with Cylinder



D. Security Cup Handle



Features

		Without cilinder	With cilinder	Full protection	DIN left	DIN right	Inside	Outside	Anodised	Powdercoated	Stainless steel	BIOV	RC2	RC3	SKG2*	SKG3*
																
CC	061.8967.-		√		√	√	√				√		√		√	
C	061.8968.-	√			√	√	√				√		√		√	
CC	061.8969.-		√		√	√		√			√		√		√	
C	061.8970.-	√			√	√		√			√		√		√	
CC	061.8971.-		√	√	√	√		√			√		√		√	
D	061.8972.-	√			√	√		√			√		√		√	

Touch

Timeless and versatile

Style and quality are combined in Touch, our trendsetting range of design hardware. Touch is sleek, elegant and slim hardware, suitable for windows, doors, sliding and folding doors.

The sleek design fits perfectly into modern homes, but also provides a stylish contrast in renovations.



Material and finish


The Touch handles and cup handles are produced with carefully selected, high-end materials. Most handles can be powder coated in over 400 RAL-colours, in a matt, glossy or coatex surface finish or anodised in various tones. This way, we ensure a perfect match with the profiles of the window.

Design

Style and quality are combined in Touch, a trendsetting range of design hardware from Reynaers Aluminium. Touch offers sleek, elegant and slim hardware, suitable for windows, doors, sliding and folding doors. The sleek design fits perfectly into modern homes, but also provides a stylish contrast in renovations.

Safety

The Touch Security handles and cup handles are burglar proof. Door handles are fitted with a long shield in solid aluminium, making the cylinder almost impossible to access, and even harder to break.




Colours

AVAILABLE COLOURS



Anodized in 9 colours



Powder coated in 400+
RAL-colours and finishes

A. Standard Handle**AA. Standard Handle with Cylinder****AB. Standard Handle with push button**

Also available for ConceptFolding
and outward opening windows

B. Roseless Handle**BB. Roseless Handle with Cylinder****C. Reduced Handle**

Accessories



E. CYLINDER COVER

Separate cylinder cover
available for all Touch
door handles.

Features

		Without cilinder 	With cilinder 	Full protection 	DIN left 	DIN right 	Inside 	Outside 	Anodised 	Powdercoated 	Stainless steel 	BIOV 	RC2 	RC3 	SKG2* 	SKG3* 
A	060.6455.XX	√			√	√	√		√	√						
A	060.6456.XX	√			√	√	√		√	√						
A	060.6459.PA	√			√	√	√			√						
AA	060.6461.PA		√		√	√	√			√			√			√
C	060.6467.PA	√			√	√	√		√	√						
B	060.6450.PA	√			√	√	√			√						
B	060.6451.XX	√			√	√	√		√	√						
BB	060.6452.XX		√		√	√	√		√	√					√	√
BB	060.6453.XX		√		√		√		√	√						
BB	060.6454.XX		√			√	√		√	√						
AB	060.6462.PA		√		√	√	√			√						
E	061.6334.XX		√		√	√	√	√	√	√						

A. Standard Handle



AA. Standard Handle with Cylinder



B. Reduced Handle



BB. Reduced Handle with Cylinder



F. Security Handle



G. Reduced Security Handle



FF. Security Handle with Cylinder



GG. Reduced Handle with Cylinder



D. Cover Plate



DD. Cover Plate with Cylinder



I. Security Cover Plate



II. Security Cover Plate with Cylinder



Features

		Without cilinder	With cilinder	Full protection	DIN left	DIN right	Inside	Outside	Anodised	Powdercoated	Stainless steel	BIOV	RC2	RC3	SKG2*	SKG3*
																
A	061.6337.XX	√			√	√	√		√	√						
A	061.6338.XX	√			√	√		√	√	√						
AA	061.6335.XX		√		√	√	√		√	√						
AA	061.6336.XX		√		√	√		√	√	√						
A	061.6330.XX	√			√	√	√		√	√						
A	061.6331.XX	√			√	√		√	√	√						
B	061.6341.XX	√			√	√	√		√	√						
B	061.6342.XX	√			√	√		√	√	√						
BB	061.6339.XX		√		√	√	√		√	√						
BB	061.6340.XX		√		√	√		√	√	√						
B	061.6332.XX	√			√	√	√		√	√						
B	061.6333.XX	√			√	√		√	√	√						
D	061.6345.XX	√			√	√	√		√	√						
D	061.6346.XX	√			√	√		√	√	√						
DD	061.6343.XX		√		√	√	√		√	√						
DD	061.6344.XX		√		√	√		√	√	√						
F	061.6349.XX	√			√	√	√		√	√			√		√	
F	061.6350.XX	√			√	√		√	√	√			√		√	
FF	061.6347.XX		√		√	√	√		√	√			√		√	
FF	061.6348.XX		√		√	√		√	√	√			√		√	
GG	061.6351.XX		√		√	√	√		√	√			√		√	
GG	061.6352.XX		√		√	√		√	√	√			√		√	
G	061.6353.XX	√			√	√	√		√	√			√		√	
G	061.6354.XX	√			√	√		√	√	√			√		√	
I	061.6357.XX	√			√	√	√		√	√			√		√	
I	061.6358.XX	√			√	√		√	√	√			√		√	
II	061.6355.XX		√		√	√	√		√	√			√		√	
II	061.6356.XX		√		√	√		√	√	√			√		√	

A. Standard Handle



A. also available with
short cover plate

AA. Standard Handle
with Cylinder

B. Reduced Handle



B. also available with
short cover plate

BB. Reduced Handle
with Cylinder

G. Security Handle

GG. Security Handle
with CylinderH. Reduced Security
HandleHH. Reduced Security
Handle with Cylinder

D. Cup Handle

K. Security
Cup HandleE. Security
Cover PlateEE. Security
Cover Plate with
Cylinder

Lift and slide doors

A. Standard
HandleAA. Standard
Handle with
CylinderK. Security
Cup Handle

Features

Sliding Doors

		Without cilinder	With cilinder	Full protection	DIN left	DIN right	Inside	Outside	Anodised	Powdercoated	Stainless steel	BIOV	RC2	RC3	SKG2*	SKG3*
																
A	061.6337.XX	√			√	√	√		√	√						
A	061.6338.XX	√			√	√		√	√	√						
GG	061.6360.XX		√		√	√	√		√	√			√		√	
GG	061.6361.XX		√		√	√		√	√	√			√		√	
HH	061.6362.XX		√		√	√	√		√	√			√		√	
HH	061.6363.XX		√		√	√		√	√	√			√		√	
B	061.6341.XX	√			√	√	√		√	√			√		√	√
B	061.6342.XX	√			√	√		√	√	√						
BB	061.6339.XX		√		√	√	√		√	√			√		√	√
BB	061.6340.XX		√		√	√		√	√	√						
D	061.6364.XX	√			√	√		√	√	√						
K	061.6370.XX		√		√	√		√	√	√						
E	061.6298.XX	√			√	√		√	√	√						
EE	061.6296.XX		√		√	√		√	√	√						

Lift and Slide Doors

AA	061.6365.XX		√		√	√	√		√	√						
AA	061.6366.XX		√		√	√		√	√	√						
A	061.6367.XX	√			√	√	√		√	√						
A	061.6368.XX	√			√	√		√	√	√						
K	061.6369.XX	√			√	√		√	√	√					√	√

Horizon

Contemporary renovation

Looking for new horizons, that's the ultimate goal of just about everyone who starts building or renovating. The Horizon handles merge, almost invisibly, into a window. As a result, they fit perfectly with all possible architectural styles.



Material

Horizon is built from molded or air pressed aluminium. By using pure material the handle range has a wider variety of finishes.

Design

With a sleek design Horizon handles make the perfect combination for any window or door system.

Installation

The Horizon range has been a consistent companion for Reynaers profiles throughout the years. This allround, low entry handle range has a solution for every opening type, whether it is as simple as a window or as specific as a panic door.




Colours

AVAILABLE COLOURS



Anodized in 9 colours



Powder coated in 400+
RAL-colours and finishes

A. Standard Handle



Also available for ConceptFolding
and outward opening windows

B. Roseless Handle



BB. Roseless Handle with Cylinder



Features



		Without cilinder	With cilinder	Full protection	DIN left	DIN right	Inside	Outside	Anodised	Powdercoated	Stainless steel	BIOV	RC2	RC3	SKG2*	SKG3*
A	061.6451.XX	√			√	√	√		√	√						
A	060.6543.XX	√			√	√	√		√	√						
A	060.6545.XX	√			√	√	√		√	√						
A	060.6546.XX	√			√	√	√		√	√						
B	061.6453.PA	√			√	√	√			√						
BB	061.6454.XX		√		√	√	√		√	√			√		√	√
BB	061.6454.XX		√		√		√		√	√						
BB	061.6464.XX		√			√	√		√	√						

A. Standard Handle



AA. Standard Handle with Cylinder



B. Reduced Handle



BB. Reduced Handle with Cylinder



Accessories



E. CYLINDER COVER

Separate cylinder cover available for all Horizon door handles.

FF. Security Handle with Cylinder



GG. Reduced Handle with Cylinder



CC. Fixed Knob with Cylinder



II. Security Cover Plate with Cylinder



Features

		Without cilinder	With cilinder	Full protection	DIN left	DIN right	Inside	Outside	Anodised	Powdercoated	Stainless steel	BIOV	RC2	RC3	SKG2*	SKG3*
																
AA	061.7130.XX		√		√	√	√		√	√						
AA	061.7140.XX		√		√	√		√	√	√						
A	061.7131.XX	√			√	√	√		√	√						
A	061.7141.XX	√			√	√		√	√	√						
A	061.7132.XX	√			√	√	√		√	√						
A	061.7142.XX	√			√	√		√	√	√						
B	061.7133.XX	√			√	√	√	√	√	√						
B	061.7135.XX	√			√	√	√		√	√						
B	061.7136.XX	√			√	√		√	√	√						
B	061.7143.XX	√			√	√		√	√	√						
B	061.7145.XX	√			√	√		√	√	√						
B	061.7149.XX	√			√	√		√	√	√						
BB	061.7134.XX		√		√	√	√		√	√						
BB	061.7139.XX		√		√	√		√	√	√						
BB	061.7144.XX		√		√	√		√	√	√						
GG	061.7482.XX		√		√	√	√		√	√			√		√	
GG	061.7483.XX		√		√	√		√	√	√			√		√	
CC	061.7485.XX		√		√			√	√	√			√		√	
CC	061.7484.XX		√			√		√	√	√			√		√	
II	061.7486.XX		√		√	√	√		√	√			√		√	
II	061.7487.XX		√		√	√		√	√	√			√		√	
E	061.6992.XX		√		√	√	√	√	√	√						
FF	061.7480.XX		√		√	√	√		√	√			√		√	
FF	061.7481.XX		√		√	√		√	√	√			√		√	

These are all handles for handle operated locks

A. Standard Handle



AA. Standard Handle with Cylinder



B. Reduced Handle



BB. Reduced Handle with Cylinder



G. Security Handle



GG. Security Handle with Cylinder



H. Reduced Security Handle



HH. Reduced Security Handle with Cylinder



Lift and slide doors

A. Standard Handle



AA. Standard Handle with Cylinder



B. Cup Handle



Features

Sliding Doors

		Without cilinder	With cilinder	Full protection	DIN left	DIN right	Inside	Outside	Anodised	Powdercoated	Stainless steel	BIOV	RC2	RC3	SKG2*	SKG3*
																
A	061.7130.XX		√		√	√	√	√	√	√						
A	061.7140.XX		√		√	√		√	√	√						
A	061.7132.XX	√	√		√	√	√		√	√						
A	061.7142XX	√	√		√	√		√	√	√						
AA	061.7139.XX	√			√	√	√		√	√						
AA	061.7149.XX	√			√	√		√	√	√						
B	061.7134.XX		√		√	√		√	√	√						
B	061.7144.XX	√			√	√		√	√	√						
B	061.7135.XX		√		√	√	√	√	√	√						
B	061.7145.XX		√		√	√		√	√	√						
B	061.7136.XX	√			√	√	√	√	√	√						
B	061.7133.XX	√			√	√		√	√	√						
BB	061.7143.XX	√			√	√		√	√	√						
BB	061.7480.XX	√			√	√		√	√	√						
BB	061.7481.XX		√		√	√	√	√	√	√						
GG	061.7131.XX		√		√	√	√		√	√					√	
GG	061.7141.XX		√		√	√		√	√	√					√	

Lift and Slide Doors

A	062.7696.XX	√			√	√	√		√	√						
A	062.7697.XX	√			√	√		√	√	√						
AA	062.7694.XX		√		√	√	√		√	√						
AA	062.7695.XX		√		√	√		√	√	√						
B	062.7778.XX	√			√	√		√	√	√						

Olimpo

Affordable design

The Olimpo combines a distinct look with affordability. The smooth lines are available in lockable and standard variants, and can be enhanced by the many finishes available, which contribute to meet the highest quality and aesthetical requirements.



Material

The Olimpo handle combines technical solutions of high quality with valuable materials. Available in a wide range of powder-coated, anodized and pvd finishes. Also available in the mill-finished version for an easy assembly with no need for any special tooling.



Design

The smooth shape of the handles is enhanced by the many finishes available which contribute to meet the highest quality and aesthetical requirements.

Olimpo is available for most configurations in standard and lockable variants, and also includes a roseless design.



Colours

AVAILABLE COLOURS



Anodized in 9 colours



Powder coated in 400+
RAL-colours and finishes

A. Standard Handle



A. Standard Handle with Cylinder



B. Roseless Handle



BB. Roseless Handle with Cylinder



C. Standard Fork Handle



C. Standard Fork Handle with Cylinder



Doors

A. Standard Handle



Features

Windows

		Without cilinder	With cilinder	Full protection	DIN left	DIN right	Inside	Outside	Anodised	Powdercoated	Stainless steel	BIOV	RC2	RC3	SKG2*	SKG3*
																
B	060.8588.XX	√			√	√	√		√	√						
BB	060.8589.PA		√		√	√	√			√						
A	060.8586.XX	√			√	√	√			√						
AA	060.8587.XX		√		√	√	√		√	√						
C	060.8581.PA	√			√	√	√		√	√						
C	060.8583.PA	√			√	√	√			√						
CC	060.8582.PA		√		√	√	√			√						
CC	060.8584.PA		√		√	√	√			√						

Doors

A	060.8585.XX	√			√	√	√	√	√	√						
---	-------------	---	--	--	---	---	---	---	---	---	--	--	--	--	--	--

A. Standard Handle



Lift and slide doors

A. Standard Handle



AA. Standard Handle with Cylinder



Features



Sliding Doors

		Without cilinder	With cilinder	Full protection	DIN left	DIN right	Inside	Outside	Anodised	Powdercoated	Stainless steel	BIOV	RC2	RC3	SKG2*	SKG3*
																
A	060.8585.XX	√			√	√	√	√	√	√						

Lift and Slide Doors

A	062.6651.PA	√			√	√	√	√		√						
AA	062.6652.PA		√		√	√	√	√		√						

DoorPulls



A great first impression

A door pull is mostly used for entrance doors. It plays a crucial part in the first impression someone has of the building, the first physical connection that is made before entering.

Material

The door pulls are made of aluminium, with exception of the DoorPull Round, which is in stainless steel. This means our door pulls are available in every finish we have in our product range, as to complement your entrance doors perfectly.

Design

We made sure that they are available in many design variations, making it easy to find the one that best fits the character of your project. Short or long, thick or thin, round or square, we have them in every imaginable finish. You can even integrate complementary products, like our fingerprint scanner.

The system design makes it possible to easily adjust the full door height profiles to the required length, considerably reducing the delivery times compared to bespoke solutions.

The door pulls range enables us to be your one-stop shop for entrance doors, the one place for buying all components from the system, over panels, to locks and hardware.



Colours


AVAILABLE COLOURS



Stainless steel (only for DoorPull Round)



Anodized in 9 colours



Powder coated in 400+ RAL-colours and finishes

A. DoorPull Hook



300 mm
4000 mm

B. DoorPull Round

B1.



B2.



B3.



B4.



300 mm
-
650 mm

C. DoorPull Square



2350 mm
2750 mm
3100 mm

D. DoorPull Fin



2500 mm
3100 mm

E. DoorPull Plus



2350 mm
2750 mm
3100 mm

Features

		Hole distance (mm)	Without cilinder	With cilinder	Full protection	DIN left	DIN right	Inside	Outside	Anodised	Powdercoated	Stainless steel	BIOV	RC2	RC3	SKG2*	SKG3*
																	
A	165.7555.XX	300	√			√	√	√	√	√	√			√	√		
A	408.7550.XX	4000**	√			√	√	√	√	√	√			√	√		
B1	061.7500/01.-*	300	√			√	√	√	√			√		√	√		
B1	061.7502/03.-*	500	√			√	√	√	√			√		√	√		
B2	061.7504/05.-*	300	√			√	√	√	√			√		√	√		
B2	061.7506/07.-*	650	√			√	√	√	√			√		√	√		
B3	061.7508/09.-*	300	√			√	√	√	√			√		√	√		
B3	061.7510/11.-*	500	√			√	√	√	√			√		√	√		
B3	061.7512/13.-*	500	√			√	√	√	√			√		√	√		
B3	061.7514/15.-*	650	√			√	√	√	√			√		√	√		
B4	061.7516/17.-*	300	√			√	√	√	√			√		√	√		
B4	061.7518/19.-*	400	√			√	√	√	√			√		√	√		
C/E	161.7500.XX	2350**	√			√	√	√	√	√	√			√	√		
C/E	161.7501.XX	2750**	√			√	√	√	√	√	√			√	√		
C/E	161.7502.XX	3100**	√			√	√	√	√	√	√			√	√		
D	408.7555.XX	2500**	√			√	√	√	√	√	√			√	√		
D	408.7556.XX	3100**	√			√	√	√	√	√	√			√	√		

* Even numbers are individually packed articles

Uneven numbers have 2x the same even article in 1 package.

** Distance between screw holes is variable, because the handle profiles can be cut to any size.

A. DoorPull HiFinity



375 mm

B. DoorPull HiFinity Fin



4000 mm

Features



		Without cilinder	With cilinder	Full protection	DIN left	DIN right	Inside	Outside	Anodised	Powdercoated	Stainless steel	BIOV	RC2	RC3	SKG2*	SKG3*
																
A	062.7775.XX	√			√	√	√	√		√			√			
A	062.7777.XX	√			√	√	√	√		√			√			
B	106.1340.XX	√			√	√	√	√	√	√			√			
B	106.1350.XX	√			√	√	√	√	√	√			√			



**Reynaers
Aluminium**

Oude Liersebaan 266
B-2570 Duffel

T +32 (0)15 30 88 10
info@reynaers.com

www.reynaers.com